



**Arctic Pear Chandelier – Round**

*by* OCHRE

*Contemporary*





United States

Polished nickel or patinated bronze frame with solid clear or mercury glass drops.

<b>25 cm (2-Tier)</b>	LC-OC-APEAR-ROUND9
<b>45 cm (2-Tier)</b>	LC-OC-APEAR-ROUND18
<b>60 cm (4-Tier)</b>	LC-OC-APEAR-ROUND24
<b>90 cm (4-Tier)</b>	LC-OC-APEAR-ROUND36
<b>120 cm (4-Tier)</b>	LC-OC-APEAR-ROUND48

ARCTIC PEAR CHANDELIER – ROUND

# COUP D'ETAT

DESCRIPTION	DIMENSIONS	WEIGHT	LIGHT SOURCE	INSTALLATION
 <p><b>25 cm (2-Tier)</b> LC-OC-APEAR-ROUND9</p>	9" Dia. 6" H	15 lbs	1x E12 Bulb 60W (Each) Dimmable	Adjustable tension wires up to 96" with matching ceiling canopy/cup. Wiring: clear plastic. UL listed.
 <p><b>45 cm (3-Tier)</b> LC-OC-APEAR-ROUND18</p>	18" Dia. 8" H	26 lbs	4x E12 Bulbs 60W (Each) Dimmable	Adjustable tension wires up to 96" with matching ceiling canopy/cup. Wiring: clear plastic. UL listed.
 <p><b>60 cm (4-Tier)</b> LC-OC-APEAR-ROUND24 *Available in 3-Tier</p>	24" Dia. 10" H	60 lbs	4x E12 Bulbs 60W (Each) Dimmable	Adjustable tension wires up to 96" with matching ceiling canopy/cup. Wiring: clear plastic. UL listed.
 <p><b>90 cm (4-Tier)</b> LC-OC-APEAR-ROUND36 *Available in 3-Tier</p>	36" Dia. 10" H	106 lbs	8x E12 Bulbs 60W (Each) Dimmable	Adjustable tension wires up to 96" with matching ceiling canopy/cup. Wiring: clear plastic. UL listed.

DESCRIPTION	DIMENSIONS	WEIGHT	LIGHT SOURCE	INSTALLATION
 <p><b>120 cm (4-Tier)</b> LC-OC-APEAR-ROUND48 *Available in 3-Tier</p>	48" Dia. 10" H	139 lbs	8x E12 Bulbs 60W (Each) Dimmable	Adjustable tension wires up to 96" with matching ceiling canopy/cup. Wiring: clear plastic. UL listed.

**METAL OPTIONS:**

POLISHED NICKEL

PATINATED BRONZE

**ADDITIONAL INFO:**

- \*It is advisable to measure from ceiling to top of chandelier in case longer wires are required.
- \*Solid clear or mercury glass drops.
- \*Dimmable LED bulb recommended.

- \*Dimmable golf ball shape bulb recommended.
- \*Bulb not supplied
- \*Qualified electrician necessary for installation.

Custom sizes available upon request.  
Price upon request.