Classical antiquity states an oracle was a medium through which gods spoke directly to people. Providing prophesy and wise counsel, an oracle was a bridge between worlds seen and unseen.


Sculptural in presence, resonating with mysterious symbolism, brass interlocking rings dance in midair, ORACLE bridges Bronze Age sensibilities and 21st century minimalism.




Oracle Twin 900-in/900-ex finished in Brushed Brass.


(600-IN / 600-EX)


SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORA.2.6IN-6EX  LAMP 24V LED WW 2700K  LUMENS 5822 LM  VOLTAGE 24V DC  WATTS 72 W  WEIGHT  Approx. 9kg (not including canopy)  INCLUSIONS  Power Supply Unit x 100W  EXCLUSIONS  User Interface, Dimmer Unit	AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina  SUSPENSION Angled Cable Vertical Cable Subject to canopy type  CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 125 Surface R-300-SM† Round 300 Surface L-550-FM† Linear 550 Flush L-550-SM† Linear 550 Surface * Remote Power Supply † Integral Power Supply Refer to canopy specification guide	Oracle is a solid fixture that will require very little maintenance over the years. If your Oracle is treated with care, it will shine brightly for many years to come.      Contact us for custom variations.      Installation should only be undertaken by a qualified professional.	<ul> <li>5 Years Fixture</li> <li>5 Years Power Supply Unit</li> <li>5 Years LED</li> </ul>
Fig 1. – Front view		Fig 2. –	






(600-IN / 900-EX)






(900-IN / 900-EX)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE ORA.2.9IN-9EX  LAMP 24V LED WW 2700K  LUMENS 8732 LM  VOLTAGE 24V DC  WATTS 108 W  WEIGHT Approx. 13.5kg (not including canopy)  INCLUSIONS Power Supply Unit x 150W  EXCLUSIONS USER Interface, Dimmer Unit	AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina  SUSPENSION Angled Cable Vertical Cable Subject to canopy type  CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 300 Surface L-550-FM† Linear 550 Flush L-750-FM† Linear 750 Flush L-550-SM† Linear 750 Surface L-750-SM† Linear 750 Surface * Remote Power Supply † Integral Power Supply *Refer to canopy specification guide*	Oracle is a solid fixture that will require very little maintenance over the years. If your Oracle is treated with care, it will shine brightly for many years to come.      Contact us for custom variations.  Installation should only be undertaken by a qualified professional.	5 Years Fixture     5 Years Power Supply Unit     5 Years LED
Fig 1. – Front view		Fig 2	· Side view





(1200-IN / 1200-IN)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORA.2.12IN-12IN  LAMP 24V LED WW 2700K  LUMENS 11588 LM  VOLTAGE 24V DC  WATTS 145 W  WEIGHT  Approx. 16kg (not including canopy)  INCLUSIONS 2 x Power Supply Unit x 100W  EXCLUSIONS  User Interface, Dimmer Unit	AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina  SUSPENSION Angled Cable Vertical Cable Subject to canopy type  CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 125 Surface R-300-SM† Round 300 Surface L-750-FM† Linear 550 Flush L-750-SM† Linear 750 Surface * Remote Power Supply † Integral Power Supply Refer to canopy specification guide	Oracle is a solid fixture that will require very little maintenance over the years. If your Oracle is treated with care, it will shine brightly for many years to come.      Contact us for custom variations.  Installation should only be undertaken by a qualified professional.	5 Years Fixture     5 Years Power Supply Unit     5 Years LED
Fig 1. – Front view		Fig 2. – Side view	

